SIEMENS

To,

The District Enviromental Engineers,

Tamil Nadu Pollution Control Board.

Dear Sir,

Sub : TNPCB-Submission of Form-IV - Submitted reg.

Ref : Proceeding No:F.4029MMN/BWA/OS/DEE/MMN/2023 dated 11/06/2023

In View of the above said reference, our clinic has non bedded clinic is located at S.F.No.265/3, ADHAMBAKKAM village, ALANDUR Taluk, Chennai District in the Name of M/s.SIEMENS LTD.

Now we are submitting the form- IV for the month of January 2024 to Decembur 2024 along with the following details. This is submitted for kind perusal and necessary action please.

Encl:

1.Form- IV

SIEMENS LTD. CHENNAI-600034

சுற்றுச்சூழல் பொறியாளர் அலுவலர் ★ சென்னை – தெற்கு ★ தமிழ்நாடு

13 FEB 2025

Form – IV (See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from Januaryto December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier		
	(i) Name of the authorized person (occupier or : operator of facility)	:	M S Murugaraj
	(ii) Name of HCF or CBMWTF	:	SIEMENS LTD
	(iii) Address for Correspondence	:	KGP, 265/3, Block No.17, Gandhi Nagar, 100 Feet Main Road, Adambakkam, Chennai-600088
	(iv) Address of Facility	:	KGP, 265/3, Block No.17, Gandhi Nagar, 100 Feet Main Road, Adambakkam, Chennai-600088
	(v)Tel. No, Fax. No	:	
	(vi) E-mail ID	:	edwardangel1983@gmail.com
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	AUTHORISATION No: 23BAD52274682 Dated 14/06/2023 Proceeding No: F.4029MMN/BWA/OS/DEE/TNPCB/MMN/2023 dated 14/06/2023
	(xi). Status of Consents under Water Act and Air Act	:	Non bedded clinic
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 0
	(ii) Non-bedded hospital Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	N/A
	(ii) No. of Beds covered by CBMWTF	:	N/A
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	N/A
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	N/A
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	*Yellow Category:2.800* *Red Category:* *White:* *Blue Category:* *General Solid Waste:*
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		

	facility		Capacity:			
			Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities		**Type of treatment equipment**	**No of Units**	**Capacity Kg/day**	**Quantity Treated or disposed in kg per annum**
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydroclave			
			Shredder			
			Needle tip cutter or destroyer	1		
			Sharps			
			Encapsulation or concrete pit			
			Deep burial pits			
			Chemical disinfection:			
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	N/A			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	N/A			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed	
			Incineration			
			Ash			
			ETP Sludge			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		M/s. G.J. Multiclave India Private Limited.			
	(vii) List of member HCF not handed over bio-medical waste.					
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period					

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		
	(ii) Number of personnel trained		
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from Jan 2024 to Dec2024

Name and Signature of the Head of the Institution

SIEMENS LTD. CHENNAI-600006

Date: 04/02/2025

Place: Chennai

G.J.MULTICLAVE
New No. 37, Old No. 20, Teachers
Annual Report for the Period of

			JAN	FEB
BMW Category	**Type of Waste**	**Measurement Unit**		
Yellow	Expired and discarded Medicines	**gms**	NIL	NIL
	Soild Waste	**gms**	NIL	NIL
	Chemical Liquid Waste	**gms**	NIL	NIL
Red	Contaminated Waste (Recyclable)	**gms**	NIL	NIL
Blue	Glassware	**gms**	NIL	NIL
White Translucent	Waste sharp including metals	**gms**	NIL	NIL
	COVID 19 WASTE	**gms**	NIL	NIL
	TOTAL DISPOSAL	**gms**	**0.000**	**0.000**

(INDIA) PVT. LTD

colony, Adyar, Chennai - 600020.

January 2024 - December 2024

MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0.300	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
2.000	NIL	NIL	NIL	NIL	NIL	NIL	0.500	NIL
NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
2.300	**0.000**	**0.000**	**0.000**	**0.000**	**0.000**	**0.000**	**0.500**	**0.000**

DEC			
NIL			
NIL			
NIL			
NIL			
NIL			
NIL			
NIL			
0.000			