Risk Assessment No: RA1 - NTCF COVID-19

#### MOBILITY ROLLING STOCK - RISK ASSESSMENT TABLE

\*Generic/Project Ref and Name: Siemens Northam Traincare Facility South Western Railway Project – Coronavirus COVID19

		Persons	UN	ICONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard	Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
1	General – Various Depot Activities	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK Government and Public Health England</li> <li>Employees to Work from Home where their role permits</li> <li>Frequently wash hands with soap and water. Use paper towels / hand driers for drying hands.</li> <li>Paper hand towel dispensers supplied in addition to hand driers</li> <li>Exercise social distancing measures – maintain 2m distance from others.</li> <li>Use at least 70% alcohol-based hand sanitizers if hand washing facilities are not readily available.</li> <li>Frequent cleaning of surfaces / offices with disinfectant (particularly points of contact such as door handles).</li> <li>Directional floor markings and signage have been installed across the depot.</li> <li>Circuit / Microsoft Teams to be used rather than face-to-face meetings.</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons		NCONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed		Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
1 (continued)	General – Various Depot Activities	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Staggered shifts (start and finish times) to prevent interaction between day and night shift.</li> <li>Emergency shift pattern in place to keep employees on the same shift pattern to reduce the mix of staff.</li> <li>When handling materials / working on or cleaning trains, wear gloves (Nitrile).</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UI	NCONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard	Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
2	Working in the Office	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK         Government and Public Health         England</li> <li>Employees to Work from Home         where their role permits</li> <li>Exercise social distancing         measures – maintain 2m distance         from others.</li> <li>Frequently wash hands with soap         and water. Use paper towels / hand         driers for drying hands.</li> <li>Paper hand towel dispensers         supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based         hand sanitizers if hand washing         facilities are not readily available</li> <li>Frequent cleaning of surfaces /         offices with disinfectant (particularly         points of contact such as door         handles).</li> <li>Maintain good standards of         hygiene and wash hands before         and after eating.</li> <li>Avoid touching eyes, mouth and         nose.</li> <li>'Hot Desking' has been stopped</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UN	ICONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard	Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
(continued)	Working in the Office	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK         Government and Public Health         England</li> <li>Staff coming into use a shared         desk are to clean their work area         before use</li> <li>One-Way corridor and stairway         flow introduced across the depot</li> <li>Signing in and out touchscreen has         been de-activated PKI card use         only</li> <li>Where visitors need to sign in         using the touchscreen, disinfectant         wipes and screen cleaning spray         has been supplied</li> <li>Elevator- only to be used only if         essential - one person at a time         and (not to be used in an         emergency evacuation)</li> <li>All doors have been wedged open,         last office staff member instructed         to ensure they are closed when         leaving for the day</li> <li>Fire Wardens to ensure door         wedges are removed when         carrying out their 'sweep' of the         building during an emergency         evacuation.</li> </ul>	2	2	4		

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UN	ICONTROLLED				CONTROLLED Risk Owner
Hazard No.	Task / Activity	exposed	Hazard	Effect	L	s	R	R Description of controls mitigating L S R the risk.
3	Transport to / from Depot	O, T, A, E	• COVID19	Persistent cough High Temperature Health Complications Isolation				<ul> <li>Follow advice from UK Government and Public Health England.</li> <li>Wherever possible, do not use public transport to get to / from work.</li> <li>Exercise social distancing measures – maintain 2m distance from others.</li> <li>Wash hands / sanitize hands after travelling to / from work.</li> <li>Frequently wash hands with soap and water. Use paper towels / hand driers for drying hands.</li> <li>Paper hand towel dispensers supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based hand sanitizers if hand washing facilities are not readily available</li> <li>Do not eat or drink whilst travelling to / from work – maintain good standards of hygiene and wash hands before and after eating.</li> <li>Avoid touching eyes, mouth and nose.</li> <li>Car sharing to be discouraged</li> </ul>

Risk Assessment No: RA1 - NTCF COVID-19

### MOBILITY ROLLING STOCK - RISK ASSESSMENT TABLE

		Persons		CONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed		Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
4	Work Travel (i.e. Travel between sites, Track calls etc)	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK Government and Public Health England.</li> <li>Do not travel unless it is absolutely essential (see SMOUKI Guidance).</li> <li>Where travel is absolutely essential, do not use public transport – use a company vehicle / hire car / personal vehicle instead.</li> <li>Do not eat or drink whilst travelling to / from sites – maintain good standards of hygiene and wash hands before and after eating.</li> <li>Shared vehicles Pool cars and vans – it is the responsibility of the driver required to use it to clean and disinfect it before use, nitrile gloves and disinfectant wipes are supplied in each shared vehicle</li> <li>Avoid touching eyes, mouth and nose.</li> <li>Wash or sanitize hands when entering / leaving a site and when entering and exiting a vehicle.</li> <li>Frequently wash hands with soap and water. Use paper towels / hand driers for drying hands.</li> <li>Paper hand towel dispensers supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based hand sanitizers if hand washing facilities are not readily available.</li> </ul>	2	2	4	FDM	RS

Copyright © Siemens Mobility Ltd. All Rights Reserved.

Risk Assessment No: RA1 - NTCF COVID-19

### **MOBILITY ROLLING STOCK – RISK ASSESSMENT TABLE**

		Persons		СО	NTROLLED				CONTROLLED Risk Owner	Dept
Hazard No.	Task / Activity	exposed			Effect	L	S	R	R Description of controls mitigating the risk.	
5	Deliveries to / from Depot	O, C, M, T, A, E	• COVID19	•	Persistent cough High Temperature Health Complications Isolation	4	2	8	<ul> <li>Follow advice from UK Government and Public Health England.</li> <li>Only allow business critical deliveries / couriers onto site.</li> <li>Exercise social distancing measures – maintain 2m distance from others.</li> <li>Encourage drivers to remain in the vehicle when loading / unloading onto the vehicle.</li> <li>Manageable sized parcels are dropped at the gate and collected by Siemens staff afterwards – no human interaction</li> <li>Frequently wash hands with soap and water. Use paper towels / hand driers for drying hands.</li> <li>Paper hand towel dispensers supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based hand sanitizers if hand washing facilities are not readily available.</li> <li>Frequent cleaning of surfaces / offices with disinfectant (particularly points of contact such as door handles).</li> <li>Emergency shift pattern in place to keep employees on the same shift pattern to reduce the mix of staff.</li> <li>When handling materials wear gloves (Nitrile).</li> </ul>	RS

Copyright © Siemens Mobility Ltd. All Rights Reserved.

RLS/EHS/FRM/045/August 2018/Issue 1

Risk Assessment No: RA1 - NTCF COVID-19

		Persons		СО	NTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed			Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
5 (Continued)	Deliveries to / from Depot	O, C, M, T, A, E	COVID19	•	Persistent cough High Temperature Health Complications Isolation	4	2	8	Restricted access into Stores – only authorised personnel allowed in stores.	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

### MOBILITY ROLLING STOCK - RISK ASSESSMENT TABLE

		Persons		CONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed		Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
6	Stores and Management of Material	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK Government and Public Health England.</li> <li>Only allow business critical deliveries / couriers onto site.</li> <li>Exercise social distancing measures – maintain 2m distance from others.</li> <li>Ask courier to remain in the vehicle when loading / unloading onto the vehicle.</li> <li>Frequently wash hands with soap and water. Use paper towels / hand driers for drying hands.</li> <li>Paper hand towel dispensers supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based hand sanitizers if hand washing facilities are not readily available.</li> <li>Frequent cleaning of surfaces / offices with disinfectant (particularly points of contact such as door handles).</li> <li>Emergency shift pattern in place to keep employees on the same shift pattern to reduce the mix of staff.</li> <li>When handling materials / working on or cleaning trains, wear glove (Nitrile).</li> <li>Restricted access into Stores – only authorised personnel allowed in stores.</li> </ul>	2	2	4	FDM	RS

Copyright © Siemens Mobility Ltd. All Rights Reserved.

RLS/EHS/FRM/045/August 2018/Issue 1

Risk Assessment No: RA1 - NTCF COVID-19

		Persons		UNC	ONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard		Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
6 (continued)	Stores and Management of Material	O, C, M, T, A, E	COVID19	,	Persistent cough High Temperature Health Complications Isolation	4	2	8	Forklift Truck – it is the individual FLT drivers' responsibility to clean and disinfect FLT before each use	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UN	ICONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard	Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
7	Production Activities	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK Government and Public Health England.</li> <li>Exercise social distancing measures – maintain 2m distance from others.</li> <li>Frequently wash hands with soap and water. Use paper towels / hand driers for drying hands.</li> <li>Paper hand towel dispensers supplied in addition to hand driers.</li> <li>Use at least 70% alcohol-based hand sanitizers if hand washing facilities are not readily available (provided by Siemens).</li> <li>Frequent cleaning of surfaces with disinfectant (particularly points of contact such as door handles).</li> <li>Emergency shift pattern in place to keep employees on the same shift pattern to reduce the mix of staff.</li> <li>When handling materials / working on or cleaning trains, wear glove (Nitrile).</li> <li>Staggered breaks to maintain social distancing.</li> <li>Risk assess tasks which require staff to work less than 2m away from each other – additional protection may be required (such as RPE).</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UI	исо	NTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard		Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
7 (continued)	Production Activities	O, C, M, T, A, E	COVID19	•	Persistent cough High Temperature Health Complications Isolation	4	2	8	Only people that work in the Production Office are allowed into the Production Office.     Limit interaction with others – if physical interaction is required, maintain social distancing measures - 2m distance from others.	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

### MOBILITY ROLLING STOCK - RISK ASSESSMENT TABLE

		Persons		CONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed		Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
8	Cleaning (both Depot & Train Cleaning)	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK         Government and Public Health         England.</li> <li>Frequently wash hands with soap         and water. Use paper towels / hand         driers for drying hands.</li> <li>Paper hand towel dispensers         supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based         hand sanitizers if hand washing         facilities are not readily available         (provided by Siemens).</li> <li>Frequent cleaning of surfaces with         disinfectant (particularly points of         contact such as door handles).</li> <li>Exercise social distancing         measures – maintain 2m distance         from others.</li> <li>Emergency shift pattern in place to         keep employees on the same shift         pattern to reduce the mix of staff.</li> <li>When handling materials / working         on or cleaning trains, wear glove         (Nitrile).</li> <li>Risk assess tasks which require         staff to work less than 2m away         from each other – additional         protection may be required (such         as RPE).</li> <li>Staggered breaks to maintain         social distancing.</li> </ul>	2	2	4	FDM	RS

Copyright © Siemens Mobility Ltd. All Rights Reserved.

RLS/EHS/FRM/045/August 2018/Issue 1

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	_	NCO	NTROLLED					CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed			Effect	L	s	R	R	Description of controls mitigating the risk.	L	s	R		
8 (continued)	Cleaning (both Depot & Train Cleaning)	O, C, M, T, A, E	COVID19	•	Persistent cough High Temperature Health Complications Isolation	4	2	8	8	<ul> <li>Limit interaction with others – if physical interaction is required, maintain 2m distance from others</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UN	CONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard	Effect	Г	s	R	Description of controls mitigating the risk.	L	s	R		
9	Use of Mess Room / Kitchen / Locker Rooms / welfare facilities	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK         Government and Public Health         England.</li> <li>Frequently wash hands with soap         and water. Use paper towels / hand         driers for drying hands.</li> <li>Paper hand towel dispensers         supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based         hand sanitizers if hand washing         facilities are not readily available         (provided by Siemens).</li> <li>Frequent cleaning of surfaces with         disinfectant (particularly points of         contact and the kitchen area).</li> <li>Exercise social distancing         measures – maintain 2m distance         from others.</li> <li>Emergency shift pattern in place to         keep employees on the same shift         pattern to reduce the mix of staff.</li> <li>Staggered breaks to maintain         social distancing.</li> <li>Limit interaction with others – if         physical interaction is required,         maintain 2m distance from others.</li> <li>Limited seating arrangements</li> <li>Sit at least 2m from the next         person to ensure social distancing         in the mess room.</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UN	ICONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard	Effect	L	S	R	Description of controls mitigating the risk.	L	s	R		
9 (continued)	Use of Mess Room / Kitchen / Locker Rooms / Welfare facilities	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Training rooms utilised as an additional messroom</li> <li>To maintain Social Distancing measures, designated urinals, sinks and showers have been removed from use</li> <li>Out of the 6 shower cubicles, 3 have been taken out of use to maintain social distancing within the cubicle area</li> <li>Maintain good standards of hygiene – wash hands before and after eating, or smoking.</li> <li>Avoid touching eyes, mouth and nose.</li> <li>Siemens are supplying food for all staff that are at the depot to remove the need for the communal microwaves and fridges to be used by multiple staff.</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

### MOBILITY ROLLING STOCK - RISK ASSESSMENT TABLE

		Persons		CONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed		Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
10	Maintenance Activities on Trains	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK Government and Public Health England.</li> <li>Any train entering the maintenance shed is to have a standard clean completed before any maintenance activities are carried out prior to the work commencing</li> <li>Frequently wash hands with soap and water. Use paper towels / hand driers for drying hands.</li> <li>Paper hand towel dispensers supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based hand sanitizers if hand washing facilities are not readily available (provided by Siemens).</li> <li>Frequent cleaning of surfaces with disinfectant (particularly points of contact such as door handles).</li> <li>Exercise social distancing measures – maintain 2m distance from others.</li> <li>Emergency shift pattern in place to keep employees on the same shift pattern to reduce the mix of staff.</li> <li>When handling materials / working on or cleaning trains, wear glove (Nitrile).</li> <li>Staggered breaks to maintain social distancing.</li> </ul>	2	2	4	FDM	RS

Copyright © Siemens Mobility Ltd. All Rights Reserved.

RLS/EHS/FRM/045/August 2018/Issue 1

Risk Assessment No: RA1 - NTCF COVID-19

		Persons		СО	NTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed		Effect  • Persistent		L	s	R	Description of controls mitigating the risk.	L	s	R		
10 (continued)	Maintenance Activities on Trains	O, C, M, T, A, E	• COVID19	•	Persistent cough High Temperature Health Complications Isolation	4	2	8	Risk assess tasks which require staff to work less than 2m away from each other – additional protection may be required (such as RPE).					

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UN	СО	NTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard		Effect	L	s	R	Description of controls mitigating the risk.	L	S	R		
11	Visitors to / from Site	O, C, M, T, A, E	• COVID19	•	Persistent cough High Temperature Health Complications Isolation	4	2	8	<ul> <li>Follow advice from UK         Government and Public Health         England.</li> <li>No access to site for non-essential         visitors.</li> <li>Any essential visitors to site to be         briefed on the depot COVID19         restrictions and preventative         measures.</li> <li>Essential visitors to site to confirm         that they are fit and healthy to be in         the depot – if they have symptoms,         turn them away from the depot.</li> <li>Frequently wash hands with soap         and water. Use paper towels / hand         driers for drying hands.</li> <li>Paper hand towel dispensers         supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based         hand sanitizers if hand washing         facilities are not readily available</li> <li>Visitors / Staff to be kept separated         wherever possible – only minimal         required contact is permitted (such         as signing in and out) otherwise         maintain social distancing         measures of 2m</li> <li>Where visitors need to access the         screen to sign in and out         disinfectant wipes and screen         cleaning spray has been supplied</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UN	CONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard	Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
12	Contractors on Depot	O, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK         Government and Public Health         England.</li> <li>No access to site for non-essential         contractors (essential would         include contractors such as         attending site to complete statutory         inspections of equipment).</li> <li>Any essential contractors to site to         be briefed on the depot COVID19         restrictions and preventative         measures.</li> <li>Essential contractors to site to         confirm that they are fit and healthy         to be in the depot – if they have         symptoms, turn them away from         the depot.</li> <li>Frequently wash hands with soap         and water. Use paper towels / hand         driers for drying hands.</li> <li>Paper hand towel dispensers         supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based         hand sanitizers if hand washing         facilities are not readily available         (provided by Siemens).</li> <li>Exercise social distancing         measures – maintain 2m distance         from others.</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons		CONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed		Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
12 (continued)	Contractors on Depot	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Contractors / Staff to be kept separated wherever possible – only minimal required contact is permitted (such as signing in and out).</li> <li>Where visitors need to access the screen to sign in and out disinfectant wipes and screen cleaning spray has been supplied</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

		Persons	UI	NCONTROLLED				CONTROLLED				Risk Owner	Dept
Hazard No.	Task / Activity	exposed	Hazard	Effect	L	s	R	Description of controls mitigating the risk.	L	s	R		
13	Access / Egress into Depot	O, C, M, T, A, E	• COVID19	<ul> <li>Persistent cough</li> <li>High Temperature</li> <li>Health Complications</li> <li>Isolation</li> </ul>	4	2	8	<ul> <li>Follow advice from UK Government and Public Health England.</li> <li>No access to site for non-essential personnel, visitors or contractors.</li> <li>Any personnel attending site to be briefed on the depot COVID19 restrictions and preventative measures.</li> <li>Frequently wash hands with soap and water. Use paper towels / hand driers for drying hands.</li> <li>Paper hand towel dispensers supplied in addition to hand driers</li> <li>Use at least 70% alcohol-based hand sanitizers if hand washing facilities are not readily available (provided by Siemens).</li> <li>Exercise social distancing measures – maintain 2m distance from others.</li> <li>Staggered shifts to prevent interaction between day and night shift – staff to adhere to hand over times to prevent day shift meeting the night shift.</li> <li>Emergency shift pattern in place to keep employees on the same shift pattern to reduce the mix of staff.</li> </ul>	2	2	4	FDM	RS

Risk Assessment No: RA1 - NTCF COVID-19

				PE CODE								
O OPERATIONA	C CLEANING	M MAINTENANCE	INSTALLATION	T TRANSPORT & DELIVERY	A ADMIN	E EXTERN	IAL VISITOR CONTR	RACTOR ETC.				
	FURTHER ACTION REQUIRED											
HAZ No Requ	HAZ No Requirement Action by Target date											
	<u>-</u>	·	·	·	·	·						

	REVISION HISTORY		
Rev	Summary	Reviewed By	Date
Α	First Issue		

RESPONSIBILITIES		
Risk Assessor – HSEW	Name -	
Responsible Manager – Fleet Delivery Manager	Name –	
Reviewer – Head of Production	Name –	
Reviewer – Production Services Manager	Name –	
Reviewer – Train Presentation Manager	Name -	
Reviewer – Outstations Manager	Name –	
Reviewer – Performance Manager	Name –	
Reviewer – Stores Manager	Name –	
Reviewer – Materials manager	Name –	
	Risk Assessment Date – 14 <sup>th</sup> May 2020	Proposed Review Date – every month at SLT meeting

Risk Assessment No: RA1 - NTCF COVID-19

1 <sup>ST</sup> Review			
Reviewing Risk Assessor:			
Reviewing Responsible Manager:	Name:	Signature:	
	Risk Assessment Date:	Proposed Next Review Date:	