



REVISION	DATE	BY	DATE	BY
		DRAWN	17/05/23	PP
		CHEK'D		
		VERIF'D		

Confidential - Property of Siemens Industry, Inc.	
CUSTOMER	
ORDER NO.	DWG. NO.
	1D1Y015TP1-T
	SH 1 OF 3

SIEMENS


<p>CATALOG NO. 1D1Y015TP1-T SERIAL NO. 15 kVA 60 Hz 1 PHASE 5.9 % IMP AT 170 °C</p>	<p>150 °C RISE 30 °C AVG. AMBIENT 220 °C TEMP CLASS 40 °C MAX. AMBIENT PRIMARY (H1 H3 H2 H4) 240X480V V 10 kV BIL SECONDARY(X4 X2 X3 X1) 120/240V V 10 kV BIL</p>	<p>WINDING MATERIAL AL ENCLOSURE TYPE 3R WEIGHT 160 LBS ENERGY EFFICIENCY CSA C802.2-12 DOE 10 CFR PART 431:2016</p>	<p>TYPE F  LISTED DRY TYPE TRANSFORMER E112513 LR 3902</p>
<p>SEISMIC QUALIFICATIONS FLOOR MOUNT ONLY OSP-0136-10 IBC 2012/ASCE 7-10 SDS<=2.0g Z/h=1 Ip=1.5</p>		<p>SUITABLE FOR INDOOR OR OUTDOOR LOCATIONS BEFORE HANDLING, INSTALLING AND OPERATING, SEE INSTRUCTION MANUAL</p>	
<p>NEMA Class ANN Dry Type Transformer Siemens Industry, Inc. Norcross, GA <small>csu0086e3</small></p>			



VOLTS	INPUT LINE ON H1, H4
504	H2-1, H3-2
492	H3-2, H2-3
480	H2-3, H3-4
468	H3-4, H2-5
456	H2-5, H3-6
444	H3-6, H2-7
432	H2-7, H3-8

VOLTS	INPUT LINE ON H1&H3, H2&H4
252	H2-1, H3-2
240	H2-3, H3-4
228	H2-5, H3-6
216	H2-7, H3-8

VOLTS	CONNECT	OUTPUT LINE
120	X1-X3, X2-X4	X1&X3, X2&X4
240	X2-X3	X1, X2orX3, X4
120/240	X2-X3	X1-X2-X4



All Dimensions in inches

ENCLOSURE COLOR : ANSI 61 GREY - OUTDOOR

HV TERMINAL DETAIL

LV TERMINAL DETAIL

MECHANICAL TYPE LUGS INCLUDED
SUITABLE FOR #14-2 CU/AL
CONDUCTORS
1 CONDUCTOR PER PHASE

MECHANICAL TYPE LUGS INCLUDED
SUITABLE FOR #14-2 CU/AL
CONDUCTORS
1 CONDUCTOR PER PHASE


CUSTOMER NOTES:

- HV TERMINATED AT TOP FRONT
- LV TERMINATED AT BOTTOM FRONT

Confidential - Property of
Siemens Industry, Inc.

REVISION	DATE	BY	DATE	BY
		DRAWN	17/05/23	PP
		CHEK'D		
		VERIF'D		

CUSTOMER	
ORDER NO.	DWG. NO. 1D1Y015TP1-T
SH 2 OF 3	



NOTE:
 WHEN BOTTOM CABLE ENTRY IS OPTED, THE SPACE USED FOR CONDUITS IN THE FRONT OF THE TRANSFORMER SHOULD NOT OBSTRUCT MORE THAN 50% OF THE FRONT AIR INTAKE AREA DEFINED BETWEEN THE BOTTOM PLATE AND THE SUPPORTING LEGS.
 SEE MANUAL FOR ADDITIONAL INFORMATION

Confidential - Property of
 Siemens Industry, Inc.

REVISION	DATE	BY	DATE	BY
		DRAWN	17/05/23	PP
		CHEK'D		
		VERIF'D		

CUSTOMER	
ORDER NO.	DWG. NO. 1D1Y015TP1-T
SH 3 OF 3	