SIEMENS Healthineers

Name Dr. Mani Deepthi
Department Health Management

Telephone 080-61925353
Mobile +91 9535553662
E-mail Manideepthi.m.ext@siemens.com

To,
The district environmental engineers,
KSPCB, RO - BOMMANAHALLI
Nisarga Bhavan, 2nd floor, 7th D main,
Thimmaiah Road, Shiva Nagar,
Bengaluru.

Your letter of Nil
Our reference Nil
Date 27th June 2025

Sub: Reg: KSPCB submission of Annual BMW- returns Form-IV..

Reference to BMW Onetime authorization (Form-III) order no: 14/PCB/RO/BMN/BMW-2022-23/20/355, followed by corrigendum name change order no: KSPCB/BOM.DEO/2023-24/500....

Given the above-said reference, our clinic is a non-bedded wellness center located inside the premises of Siemens Healthcare Private Limited- AT factory, Plot-16, NO-2(P), Hosur road, Electronic city-II, Konappana Agrahara village, Bengaluru- 560100 under the registered name of "Siemens Healthcare private limited," is now submitting the form-IV the annual Biomedical waste returns form for the period FROM January 2024 till 31st December 2024, along with following actions for your kind perusal.

Kindly acknowledge the receipt in duplicate.

Thanking you,

Yours faithfully,
For Siemens Healthcare Private Limited
Dr. Mani Deepthi
Health management team

Form – IV

(See rule13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)].

SL No	Particulars		
1	Particulars of the Occupier		
	(i) Name of the authorized person (occupier or: operator of facility)	:	Mr. Rizwan Kazi
	(ii) Name of HCF : Name of CBMWTF:	:	M/s. Siemens Healthineers Pvt Limited. M/s Prajwal BMW Management systems, (A unit of VV Incin Solution Pvt Ltd)
	(iii) Address for Correspondence	:	Siemens Healthcare Pvt. Ltd. Plot No 16, Sy 42 No 42(p), Hosur Road, Electronic City Phase 2, Konappana Agrahar Village, Begur Hobli, Bangalore 560100 Tel:- 080-61925300
	(iv) Address of Facility	:	Siemens Healthcare Pvt. Ltd. Plot No 16, Sy 42 No 42(p), Hosur Road, Electronic City Phase 2, Konappan Agrahar Village, Begur Hobli, Bangalore 560100 Tel:- 080-61925300
	(v)Tel. No, Fax. No	:	Mob: +91 9970055969
	(vi) E-mail ID	:	rizwan.kazi@siemens-healthineers.com
	(vii) URL of Website	:	https://www.siemens-healthineers.com
	(viii) GPS coordinates of HCF or CBMWTF	:	12°50'44.88"N 77 °40`21.72"E-HCF
	(ix) Ownership of HCF or CBMWTF	:	Private Limited Company
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No:-14/PCB/RO/BMW-2022-23/20/355 Dated On-20/05/2022
	(xi). Status of Consents under Water Act and Air Act	:	Combined Consent order No : AW-111705 dated 31/10/2019 Valid up to: 31-12-2033
2	Type of Health Care Facility	:	Clinic
	(i) Bedded Hospital	:	No of Beds: nil
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Clinic

	(iii) License number and its date of expiry	:	NA			
3	Details of CBMWTF	:	M/s Prajwal BMW Management Systems (A unit of M/s VV Incin Solutions Pvt Ltd)			
	(i) Number healthcare facilities covered by : CBMWTF	:	1			
	(ii) No of beds covered by CBMWTF	:	NIL			
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA			
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 0.646 KGS / Annum			
		:	Red Category: 0.585 KGS / Annum			
		:	White: NIL			
		:	Blue Category: 0.010 KGS / Annum			
		:	General Solid waste: NIL			
5	Details of the Storage, treatment, transportation, processing, and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size:	NA		
		:	Capacity:	NA		
		:	Provision of on-site storage: (cold storage or any other provision)	NA		
	Disposal facilities	:	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity treated or disposed in kg per annum
		:	Incinerators	N/A		
		:	Plasma Pyrolysis	N/A		
		:	Autoclaves	N/A		
		:	Microwave	N/A		
		:	Hydroclave	N/A		
		:	Shredder	N/A		
		:	Needle tip cutter or destroyer	N/A		

		:	Sharps encapsulation or concrete pit	N/A		
		:	Deep burial pits	N/A		
		:	Chemical disinfection	N/A		
		:	Any other treatment equipment:	N/A		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Nil			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	N/A	Quantity Generated	Where disposed	
		:	Incineration:	Nil		
		:	ETP Sludge	Nil		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Prajwal BMW Management Systems (A unit of M/s VV Incin Solutions Private Limited.			
	(vii) List of member HCF not handed over bio-medical waste.	:	NA			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	NO			
7	Details trainings conducted on BMW	:				
	(i) Number of trainings conducted on BMW Management	:	1			
	(ii) number of personnel trained	:	2			
	(iii) number of personnel trained at the time of induction	:	2			
	(iv) number of personnel not undergone any training so far	:	Nil			
	(v) whether standard manual for training is available?	:	Yes			
	(vi) any other information)	:	Nil			
8	Details of the accident occurred during the year	:	Nil			

	(i) Number of Accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	NA
	(iv) Any Fatality occurred, details.	:	Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed	:	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	NA
12	Any other relevant information	:	NA

Certified that the above report is for the period from: January 2024 to December 2024

Name and Signature of Authorized person of the facility.

Date: Bangalore
Place: 25-06-2025

Siemens Healthcare Pvt. Ltd. Bangalore 560 100