



INTEGRATION OF EMOBILITY CHARGING INFRASTRUCTURE

Concepts for electric fleet and workplace charging

At a glance

The increasing share of electric vehicles (EVs) will have a large impact on mobility service fleets and workplace charging. Companies, retailers and fleet operators need to evaluate the future charging demand and derive viable charging concepts.

As expert consultants in the field of electromobility, PTI Consulting supports companies, fleet and workplace charging operators in identifying suitable and cost-efficient solutions and technologies which meet their individual requirements. With an eMobility concept from Siemens, our consultants deliver:

- a definition of mobility services & concepts, business model and value chain elements & stakeholders,
- detailed load forecasts and profiles for specific charging sites,
- definition of the required number and types of charging points,
- solutions for grid connection and optimized power supply,
- consideration of tariffs and regulatory & taxation aspects,
- definition of the required IT system landscape, software, and interfaces,
- definition of charging and accounting processes, and of an operational concept.

SIEMENS

The challenge

In a constant trend towards an increasing adoption of electromobility, total cost of ownership of electric vehicles is gaining competitiveness.

In combination with the smaller carbon footprint as compared to combustion engines, these are drivers for fleet operators to consider the electrification of their fleet. To do so, fleet operators need viable and flexible charging infrastructure concepts and a charging management system to optimize the required infrastructure, operation, and energy consumption.

At the same time, enterprises and retailers need to start supporting workplace charging for their employees. The provided services should be compliant with regulatory guidelines – mandatory or voluntary – such as tax benefits for emission reduction. To enable workplace charging and ensure smooth operations, the EV charging system needs to be integrated into energy and building management systems and connected to existing charging management and customer management systems.

Our solution

PTI Consulting offers a holistic charging hub concept for fleets and workplaces which considers technical as well as economic aspects. The process consists of five sequential modules, ensuring a transparent and detailed evaluation of different variants for the development and supply of the charging infrastructure, supporting customers in their decision-making process.

Strategy definition

The required charging infrastructure largely depends on the specific fields of application and services, mobility requirements and patterns, as well as the defined business models for eMobility. Therefore, prior to any technical evaluations, framework conditions, existing concepts, value chains, stakeholder groups, and geographical demand models are analyzed. This evaluation of the status quo and strategy includes identifying possible charging sites which shall be considered in the following technical analyses.




Figure 1: Overview of eMobility eco-system

Demand modeling

To determine the exact charging demand at the specific charging hub or depot, the status-quo information is complemented with the anticipated or current consumption patterns and then evaluated for different concepts (e.g., central charging station, "satellite" stations).

One of the key challenges during the evaluation of the necessary EV infrastructure is the identification of the optimal techno-economic ratio between EVs and charging points (CPs). In parallel, the EV supply equipment varies broadly across CPs in terms of voltage level (power output range of the CP), type (socket und connector used for charging) and mode (EV-CP communication protocol). To evaluate the optimal power level and number of CPs per charging station or hub, several aspects must be considered and rated as different objectives.




Figure 2: Exemplary results of a charging profile simulation

In accordance with the customer-specific objectives, PTI Consulting analyzes multiple scenarios and variants to identify the appropriate level and number of CPs per charging station with iterative charging profile simulations.

Energy supply & network integration

After the required charging infrastructure has been defined, the supply and grid connection of the charging hub or depot need to be assessed. If necessary, different measures can be identified by means of simulations to avoid overloading, grid code violations or other critical conditions.

In addition, these simulation results provide a techno-economic evaluation of the different charging strategies and technologies. Different solutions, such as different local generation capacities (e.g., fossil vs. renewable, distributed energy resources – DER), network and energy price developments are compared, and different options for grid connection are considered. Based on this

scenario comparison, the optimal measures for short, medium, and long-term planning can be derived.




Figure 3: Exemplary simulation of PV and energy storage to cover the load demand

Process integration and operational concept

To support a smooth integration of the future charging processes into the existing process landscape, all relevant existing processes are identified. Then the individual process steps, actors as well as the integration into existing or new software applications are examined.

To ensure compliance and smooth operation, regulatory guidelines, policies and best practices on (inter-)national level are incorporated during process definition. The final results include concrete implementation solutions and a roadmap considering feasibility, market trends and international best practices.

As part of the integration into software applications, such as the backend system of the charging point operator for charging management, required IT interfaces are defined. Based on the defined processes, the functional requirements for hardware (e.g., charging power, socket, authorization media, IT protocols) and software (e.g., intelligent load management at the charging stations) can be defined.

Roadmap development

All results, analyses and recommendations are then combined into an integrated concept. For the selected charging infrastructure and supply scenarios, the investment and operational costs for the charging infrastructure, supply and network infrastructure are defined and distributed across a predefined time span.




Figure 4: Example of a scenario comparison

Once the preferred scenario has been selected, another iteration of the techno-economic analysis is performed and used as a basis for a detailed implementation roadmap to describe the final, bankable option.

In consequence decision makers are able to identify required investment budgets and resources, involve further stakeholder, where necessary, and develop a concrete timeline and project description for the implementation of charging infrastructure.

How you can benefit

With our consulting services for the development and operation of eMobility charging hubs and depots, customers receive an integrated charging infrastructure concept which

- complies with their eMobility strategy and meets the requirements of their customers as well as other stakeholders,
- is vendor-agnostic and considers innovative charging, generation and storage technologies, software and processes,
- weighs up the redundancy of charging points and cost-effectiveness, ensuring a both technically and economically efficient and sustainable solution,
- considers regulatory requirements and incentives, and ensures compliance with applicable policies and guidelines,
- ensures a secure and reliable grid connection considering the local grid codes.

If you are interested in identifying your individual optimal charging hub concept, feel free to [contact us](#).

**Published by
Siemens AG**

Smart Infrastructure
Grid Software
Humboldtstrasse 59
90459 Nuremberg, Germany

For the U.S. published by
Siemens Industry Inc.
100 Technology Drive
Alpharetta, GA 30005, United States

For more information, please use our [web contact form](#).

SIGSW-B10006-00-7600
AL=N, ECCN=N
© Siemens 2024

Subject to changes and errors.

The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.

All product designations may be trademarks or product names of Siemens AG or other companies whose use by third parties for their own purposes could violate the rights of the owners.